Appendix A: Tables and Figures

Table A Item elimination across different stages of development, reliability and validity assessment of the proposed LibQUAL scale in Persian

| CODE | ITEM | ITEMS SELECTED FROM IMPACT ASSESSMEN T | ITEMS SELECTED FROM STUDY A (EFA) | ITEMS SELECTED FROM STUDY B (CFA) | ITEMS IN THE FINAL LIBQUA L SCALE |
|--------|--|---|--|--|---|
| AS1-1 | Topical advice should be provided by a subject specialist librarian | * | | | |
| AS2-1 | It is possible to provide feedback regarding the quality of library services and staff performance | * | | | |
| AS3-1 | The number of library personnel should be appropriate | | | | |
| AS4-1 | Employees who create a sense of trust and confidence in users | * | * | * | * |
| AS5-1 | Librarians pay attention to the needs of individual visitors | * | * | * | * |
| AS6-1 | Employees who deal with users with respect and politeness | * | * | * | * |
| AS7-1 | Librarians are always ready to respond to the questions they are asking | * | * | * | * |
| AS8-1 | Employees who have sufficient knowledge to answer the questions of the respondents | * | * | * | * |
| AS9-1 | Employees who treat and respond to clients in a caring fashion | * | * | * | * |
| AS10-1 | Employees who understand the needs of their clients | * | * | * | * |
| AS11-1 | Librarians who are always willing to help the visitors | * | * | * | * |
| AS12-1 | Librarians who have high dependability in solving the service problems of the users | * | * | * | * |
| AS13-1 | Librarians should be able to provide facilities for disabled people | | | | |
| AS14-1 | Librarians should be able to provide research advice to users if needed | | | | |
| AS15-1 | The library should use an efficient information retrieval system | * | * | | |
| AS16-1 | It is possible to hold educational workshops in the library | | | | |
| IC1-1 | The lending system of resources should be accurate. | * | * | | |
| IC2-1 | Cataloging of resources should be done carefully so that the error of retrieving unrelated resources in the library retrieval system is minimized. | * | * | | |
| IC3-1 | It is possible to access audiovisual resources in the library | * | * | | |
| IC4-1 | New resources are regularly added to the library collection | * | * | | |
| IC5-1 | There should be a reasonable balance between library resources in different subjects | | | | |

| IC6-1 | It is possible to access the abstracts of theses and dissertations | * | * | | |
|--------|---|---|---|---|---|
| IC7-1 | The existence of facilities that provide access to electronic information sources from home or work | * | * | | |
| IC8-1 | The existence of a library website that helps me locate the information I need | * | * | * | * |
| IC9-1 | Are printed resources that are necessary for my work | * | * | * | * |
| IC10-1 | I have the electronic resources I need | * | * | * | * |
| IC11-1 | The availability of modern equipment that allows me to easily access my information | * | * | * | * |
| IC12-1 | Having easy-to-use access tools that allow me to find information personally | * | * | * | * |
| IC13-1 | The availability of facilities that makes my information easy to access | * | * | * | * |
| IC14-1 | Available printed or electronic publications that are necessary for my work | * | * | * | * |
| LP1-1 | There is a space that encourages learning and innovation | * | * | * | * |
| LP2-1 | A space that is quiet and suitable for individual activities | * | * | * | * |
| LP3-1 | Library space is comfortable, pleasant and attractive | * | * | * | * |
| LP4-1 | The library space is a suitable place for collective communication, group learning, and group study | | | | |
| LP5-1 | It is possible to have drinks and food in the library | | | | |
| LP6-1 | The library space is enough | * | * | * | * |
| LP7-1 | Physical library facilities such as computers, desks and chairs, and lighting suitable for study | * | * | * | * |
| LP8-1 | Moving in the library environment is easy | * | * | * | * |
| LP9-1 | The library space should be clean | | | | |
| LP10-1 | The temperature of the library environment should be suitable | | | | |
| LP11-1 | Access to directories and library service instructions is provided | * | * | * | * |
| LP12-1 | Access to wireless internet (WiFi) in the library space | * | * | | |
| LP13-1 | It is possible to provide services to disabled people in the library | * | * | | |
| LP14-1 | The ventilation of the library should be suitable | | | | |
| LP15-1 | A resource drop box should be available, especially for non-office hours | | | | |
| LP16-1 | Each user has a dedicated closet | | | | |
| LP17-1 | There is a photocopier in the library | | | | |
| LP18-1 | The hardware and software facilities of the library should be suitable | * | | | |
| LP19-1 | It is possible to access library resources remotely | | | | |

 Table B Descriptive statistics of the primary 35items of the proposed LibQUAL scale inPersian

| Item | Min | Max | Mean | Std. Deviation |
|------|-----|-----|------|----------------|
| code | | | | |
| AS1 | 1 | 9 | 4.83 | 2.00 |
| AS2 | 1 | 9 | 5.14 | 2.13 |
| AS3 | 1 | 9 | 5.39 | 2.19 |
| AS4 | 1 | 9 | 5.29 | 2.28 |
| AS5 | 1 | 9 | 5.81 | 2.29 |
| AS6 | 1 | 9 | 5.64 | 2.12 |
| AS7 | 1 | 9 | 5.51 | 2.13 |
| AS8 | 1 | 9 | 5.50 | 2.12 |
| AS9 | 1 | 9 | 5.73 | 2.04 |
| AS10 | 1 | 9 | 5.83 | 2.09 |
| AS11 | 1 | 9 | 5.76 | 2.09 |
| AS12 | 1 | 9 | 5.86 | 2.11 |
| IC1 | 1 | 9 | 5.96 | 2.04 |
| IC2 | 1 | 9 | 5.92 | 2.08 |
| IC3 | 1 | 9 | 5.34 | 2.22 |
| IC4 | 1 | 9 | 5.71 | 2.05 |
| IC5 | 1 | 9 | 5.98 | 1.95 |
| IC6 | 1 | 9 | 5.70 | 2.08 |
| IC7 | 1 | 9 | 6.15 | 1.95 |
| IC8 | 1 | 9 | 5.98 | 2.01 |
| IC9 | 1 | 9 | 5.97 | 2.01 |
| IC10 | 1 | 9 | 5.77 | 2.18 |
| IC11 | 1 | 9 | 5.92 | 1.97 |
| IC12 | 1 | 9 | 5.76 | 1.98 |
| IC13 | 1 | 9 | 5.94 | 2.08 |
| LP1 | 1 | 9 | 5.99 | 2.04 |
| LP2 | 1 | 9 | 5.97 | 2.35 |
| LP3 | 1 | 9 | 6.21 | 2.22 |
| LP4 | 1 | 9 | 6.13 | 2.30 |
| LP5 | 1 | 9 | 6.40 | 2.25 |
| LP6 | 1 | 9 | 6.56 | 1.98 |
| LP7 | 1 | 9 | 6.29 | 2.11 |
| LP8 | 1 | 9 | 6.52 | 2.19 |
| LP9 | 1 | 9 | 5.23 | 2.28 |
| LP10 | 1 | 9 | 6.37 | 2.10 |

| Construct | Item code | Factor loadings | AVE | Cronbach's alpha | Composite reliability |
|---------------------|-----------|-----------------|-------|------------------|--------------------------|
| Affect of Service | AS1 | 0.597 | 0.657 | 0.951 | 0.958 |
| | AS2 | 0.661 | | | |
| | AS3 | 0.821 | | | |
| | AS4 | 0.852 | | | |
| | AS5 | 0.853 | | | |
| | AS6 | 0.828 | | | |
| | AS7 | 0.878 | | | |
| | AS8 | 0.854 | | | |
| | AS9 | 0.801 | | | |
| | AS10 | 0.865 | | | |
| | AS11 | 0.829 | | | |
| | AS12 | 0.840 | | | |
| Information Control | IC1 | 0.763 | 0.618 | 0.948 | 0.955 |
| | IC2 | 0.768 | | | |
| | IC3 | 0.777 | | | |
| | IC4 | 0.794 | | | |
| | IC5 | 0.733 | | | |
| | IC6 | 0.720 | | | |
| | IC7 | 0.790 | | | |
| | IC8 | 0.806 | | | |
| | IC9 | 0.806 | | | |
| | IC10 | 0.829 | | | |
| | IC11 | 0.854 | | | |
| | IC12 | 0.850 | | | |
| | IC13 | 0.716 | | | |
| Library as Place | LP1 | 0.859 | 0.672 | 0.944 | 0.953 |
| | LP2 | 0.845 | | | |
| | LP3 | 0.871 | | | |
| | LP4 | 0.883 | | | |
| | LP5 | 0.907 | | | |
| | LP6 | 0.843 | | | |
| | LP7 | 0.830 | | | |
| | LP8 | 0.811 | | | |
| | LP9 | 0.587 | | | |
| | LP10 | 0.709 | | | |

Table C Factor loading, reliability and validity analysis of 35 Items of the proposed LibQUAL scale in

 Persian

• Highlighted items were removed from the questionnaire due to loadings smaller than the acceptable level of 0.70.

| Item code | Minimum | maximum | Mean | Std. Deviation |
|-----------|---------|---------|--------|----------------|
| AS1 | 1 | 9 | 0.6124 | 0.3778 |
| AS2 | 1 | 9 | 0.7599 | 0.4296 |
| AS3 | 1 | 9 | 0.7943 | 0.4069 |
| AS4 | 1 | 9 | 0.7069 | 0.4089 |
| AS5 | 1 | 9 | 0.6777 | 0.3866 |
| AS6 | 1 | 9 | 0.7766 | 0.4484 |
| AS7 | 1 | 9 | 0.7243 | 0.4577 |
| AS8 | 1 | 9 | 0.7793 | 0.3632 |
| AS9 | 1 | 9 | 0.8371 | 0.3260 |
| AS10 | 1 | 9 | 0.5765 | 0.3008 |
| IC1 | 1 | 9 | 0.2985 | 0.2743 |
| IC2 | 1 | 9 | 0.2140 | 0.2036 |
| IC3 | 1 | 9 | 0.9081 | 0.1834 |
| IC4 | 1 | 9 | 0.8596 | 0.2274 |
| IC5 | 1 | 9 | 0.8259 | 0.1950 |
| IC6 | 1 | 9 | 0.8737 | 0.2039 |
| IC7 | 1 | 9 | 0.8630 | 0.1854 |
| IC8 | 1 | 9 | 0.8419 | 0.1979 |
| IC9 | 1 | 9 | 0.8703 | 0.1548 |
| IC10 | 1 | 9 | 0.8800 | 0.1526 |
| IC11 | 1 | 9 | 0.8439 | 0.1506 |
| IC12 | 1 | 9 | 0.8879 | 0.1386 |
| IC13 | 1 | 9 | 0.8559 | 0.1640 |
| LP1 | 1 | 9 | 0.8158 | 0.1932 |
| LP2 | 1 | 9 | 0.8096 | 0.2299 |
| LP3 | 1 | 9 | 0.5644 | 0.3907 |
| LP4 | 1 | 9 | 0.6541 | 0.3799 |
| LP5 | 1 | 9 | 0.6016 | 0.4081 |
| LP6 | 1 | 9 | 0.5977 | 0.4106 |
| LP7 | 1 | 9 | 0.5243 | 0.3666 |
| LP8 | 1 | 9 | 0.5213 | 0.3922 |
| LP9 | 1 | 9 | 0.4262 | 0.3112 |
| | | | | |

 Table D Descriptive Statistics of Primary 32 Items of proposed LibQUAL scalein Persian

| Construct | ltem | Factor | AVE | Cronbach's | Composite |
|---------------------|------|----------|-------|------------|-------------|
| | code | loadings | | alpha | reliability |
| Affect of Service | AS1 | 0.7717 | 0.643 | 0.972 | 0.918 |
| | AS2 | 0.9293 | | | |
| | AS3 | 0.9486 | | | |
| | AS4 | 0.8727 | | | |
| | AS5 | 0.8253 | | | |
| | AS6 | 0.9645 | | | |
| | AS7 | 0.9091 | | | |
| | AS8 | 0.9009 | | | |
| | AS9 | 0.8955 | | | |
| | AS10 | 0.6742 | | | |
| Information Control | IC1 | 0.3619 | 0.665 | 0.973 | 0.925 |
| | IC2 | 0.2633 | | | |
| | IC3 | 0.6381 | | | |
| | IC4 | 0.6004 | | | |
| | IC5 | 0.6528 | | | |
| | IC6 | 0.6954 | | | |
| | IC7 | 0.8771 | | | |
| | IC8 | 0.8667 | | | |
| | IC9 | 0.8895 | | | |
| | IC10 | 0.9025 | | | |
| | IC11 | 0.8603 | | | |
| | IC12 | 0.9048 | | | |
| | IC13 | 0.8811 | | | |
| Library as place | LP1 | 0.7704 | 0.625 | 0.942 | 0.948 |
| | LP2 | 0.7700 | | | |
| | LP3 | 0.7747 | | | |
| | LP4 | 0.8668 | | | |
| | LP5 | 0.8351 | | | |
| | LP6 | 0.8348 | | | |
| | LP7 | 0.7014 | | | |
| | LP8 | 0.5277 | | | |
| | LP9 | 0.5630 | | | |

Table E Factor loading, reliability and validity analysis of 32 Items of the proposed LibQUAL scale in

 Persian



Figure A The structural model of the LibQUAL scale in Persian: Items of scale; AS: Affect of service; IC: Information control; and LP: Library as place